

**AMENDMENTS TO THE CLAIMS:**

The following listing of claims replaces all prior listings, and all prior versions, of claims in the application.

**LISTING OF CLAIMS:**

[1] (Previously presented) A decorative sheet for simultaneous decoration and injection molding, which is a laminate and which comprises a base film and at least a decorative layer provided on the base film, the decorative sheet having an elongation at break as measured at 25°C of 3 to 10%, and an elongation at break as measured at 120°C of 200% or more.

[2] (Original) A decorative sheet for simultaneous decoration and injection molding according to claim 1, which has an elongation at break as measured at 25°C of 3 to 7%.

[3] (Previously presented) A decorative sheet for simultaneous decoration and injection molding according to claim 1, which has an elongation at break as measured at 120°C of 200 to 400%.

[4] (Previously presented) A decorative sheet for simultaneous decoration and injection molding according to claim 1, wherein the base film is formed of an acrylic resin composition.

[5] (Original) A decorative sheet for simultaneous decoration and injection molding according to claim 4, wherein the acrylic resin composition is a resin

composition containing, as a primary component, a polyacrylate and/or a polymethacrylate.

[6] (Previously presented) A decorated resin molded product comprising a resin molding, and a decorative sheet as recited in claim 1, the sheet being bonded onto the molding, wherein the decorative layer of the decorative sheet is bonded to the molding.

[7] (Previously presented) A decorative sheet for simultaneous decoration and injection molding according to claim 2, which has an elongation at break as measured at 120°C of 200 to 400%.

[8] (Previously presented) A decorative sheet for simultaneous decoration and injection molding according to claim 7, wherein the base film is formed of an acrylic resin composition.

[9] (Previously presented) A decorative sheet for simultaneous decoration and injection molding according to claim 8, wherein the acrylic resin composition is a resin composition containing, as a primary component, a polyacrylate and/or a polymethacrylate.

[10] (Previously presented) A decorated resin molded product comprising a resin molding, and a decorative sheet as recited in claim 9, the sheet being bonded onto the molding, wherein the decorative layer of the decorative sheet is bonded to the molding.

[11] (New) A decorative sheet for simultaneous decoration and injection molding according to claim 1, wherein the base film includes at least one rubber material selected from the group consisting of acrylic rubber, butadiene rubber and silicone rubber.

[12] (New) A decorative sheet for simultaneous decoration and injection molding according to claim 11, wherein a content of the rubber material included in the base film is 3 to 30 parts by mass based on 100 parts by mass of a base resin also included in the base film.

[13] (New) A decorative sheet for simultaneous decoration and injection molding according to claim 1, wherein the decorative sheet has an elongation at break as measured at 40°C which is in a range of 10 to 20%.

[14] (New) A decorative sheet for simultaneous decoration and injection molding according to claim 1, wherein said decorative sheet has said elongation at break, as measured at 25°C, of 3 to 10%, in both a flow direction during formation of the base film and a direction perpendicular to the flow direction.

[15] (New) A decorative sheet for simultaneous decoration and injection molding according to claim 14, wherein said decorative sheet has said elongation at break, as measured at 120°C, of 200% or more, in both the flow direction during formation of the base film and the direction perpendicular to the flow direction.

[16] (New) A decorative sheet for simultaneous decoration and injection molding according to claim 1, wherein the decorative sheet further comprises an adhesive layer such that the adhesive layer and base film sandwich the decorative layer.